







6 cm series
Double Sided Light Box
 LED Edge-lit Light Bar customization



cylindrical PC			
Degree angle: 10*25°	3030 1.5W LED 150LM/w	Limitless	Vertical DC socket
		Resistor current limiting	elastic contact
LENS	LED	DRIVE	Electrical Interface




6 cm series
Double Sided Light Box
 LED Edge-lit Light Bar customization



cylindrical PC			
Beam Angle: 10*35°	3030 1.5W LED 150LM/w	Limitless	Vertical DC socket
		Resistor current limiting	elastic contact
LENS	LED	DRIVE	Electrical Interface




8 cm series
Double Sided Light Box
 LED Edge-lit Light Bar customization



cylindrical PC	 3030 1.5W LED 150LM/w	 Limitless	
Degree angle:10*25°		 Resistor current limiting	
LENS	LED	DRIVE	Electrical Interface



8 cm series
Double Sided Light Box
 LED Edge-lit Light Bar customization








cylindrical PC	 3030 1.5W LED 150LM/w	 Limitless	
Degree angle:15*45°		 Resistor current limiting	
LENS	LED	DRIVE	Electrical Interface





Double Sided Light Box
LED Edge-lit Light Bar customization








cylindrical PC	 3030 1.5W LED 150LM/w	 Limitless	 Vertical DC socket
Degree angle:10*20°		 Resistor current limiting	 elastic contact
LENS	LED	DRIVE	Electrical Interface



Double Sided Light Box
LED Edge-lit Light Bar customization





cylindrical PC	 3030 5W LED	 Limitless	 Vertical DC socket
Degree angle:7*25°		 Resistor current limiting	 elastic contact
LENS	LED	DRIVE	Electrical Interface



12 cm series

Double Sided Light Box
LED Edge-lit Light Bar customization




cylindrical PC			
Degree angle:7*25°	3030 3W LED		
LENS	LED	DRIVE	Electrical Interface

Morning Go CO.,LTD
ADD:Room 917, Building 16, No. 180, Zhujiawan Street, Gusu District, Suzhou, China
TEL:+86-18356075538 Email: info@mgled.com.cn

AC100-240V


Double Sided Light Box
High voltage input
LED Edge-lit Light Bar series

LED Chip :OSRAM




AC-8D460	AC100-240V	25W	8PCS	White	460*28*16	7*25	3800Lm
Item	Voltage	Power	LED Qty	Color	size	Viewing angle	Luminous flux

Morning Go CO.,LTD
ADD:Room 917, Building 16, No. 180, Zhujiawan Street, Gusu District, Suzhou, China
TEL:+86-18356075538 Email: info@mgled.com.cn



T=8CM H=200CM
T=10CM H=250CM
T=12CM H=300CM
T=15CM H=350CM






Double Sided Light Box

A series
LED Edge-lit Light Bar
LED Chip :OSRAM



Item	Voltage	Power	LED Qty	Color	PCB size	Viewing angle	Luminous flux
A-10D500-OSRAM	24V	28W	10PCS	White	500*25*15	9*30	3000Lm
A-4D200-OSRAM	24V	12W	4PCS	White	200*25*15	9*30	1200Lm






Double Sided Light Box

A1 series
LED Edge-lit Light Bar
LED Chip :OSRAM



Item	Voltage	Power	LED Qty	Color	PCB size	Viewing angle	Luminous flux
A1-8D470-OSRAM	24V	24W	8PCS	White	470*25*15	9*30	3000Lm
A1-5D290-OSRAM	24V	9.6W	5PCS	White	290*25*15	9*30	1200Lm




Morning Go CO.,LTD
ADD:Room 917, Building 16, No. 180, Zhujiawan Street, Gusu District, Suzhou,China
TEL:+86-18356075538 Email: info@mgled.com.cn

Double Sided Light Box

LED Edge-lit Light Bar

5W LED





弹簧线



网架卡座




32管卡座



Item	Voltage	Power	LED Qty	Color	PCB size	Viewing angle	Luminous flux
MG-L70040-10D	24V	42W	10PCS	White	710*60*22	20*45	4500Lm
MG-L35040-5D	24V	21W	5PCS	White	360*60*22	20*45	2250Lm

SEG




LED Rigid Bar For Backlit Box



Item	Voltage	Power	LED Qty	Color	Viewing angle	Luminous flux
SEG-L685-6LED	24V	36W	36PCS	White	175°	3960Lm




Morning Go CO.,LTD
 ADD:Room 917, Building 16, No. 180, Zhujiawan Street, Gusu District, Suzhou, China
 TEL:+86-18356075538 Email: info@mgled.com.cn

6 cm series LED Rigid Bar For Backlit Box






178°	30301W LED	DC24V
LENS	LED	Voltage

6 cm series LED Rigid Bar For Backlit Box



178°	30301W LED	DC12V
LENS	LED	Voltage

LED Rigid Bar For Backlit Box



H:welding






L:screws

YF-M12DD-940-X

Item	Voltage	Power	LED Qty	Color	PCB size	Viewing angle	Luminous flux
MG-M12DD-940-X	DC12V	12W	12	White	940*18	178°	1440
MG-M9DD-705-X	DC12V	9W	9	White	705*18	178°	1080
MG-M6DD-470-X	DC12V	6W	6	White	470*18	178°	720

LED Rigid Bar For Backlit Box



Item	Voltage	Power	LED Qty	Color	PCB size	Viewing angle	Luminous flux
MG-MFS-12D-940	24V	12W	12	White	950*18	170°	1440lm
MG-MFS-7D-705	24V	9W	9	White	705*18	170°	1080lm